ROBERT KOCH Industries Inc. Dyes, Pigments, Specialty Coatings, Fragrances KOCH COLOR<sup>™</sup>

## Safety Data Sheet Acc. to 29 CFR 1910.1200 App D

### **Yellow 7525**

Versio Repla	on number GHS 3.0 ces version of 2020-03-27 GHS 2	Revision date 2022-01-28 Date format: yyyy-mm-dd
SEC	TION 1: Identification of the substance/mixture and of the	e company/undertaking
1.1	Product Indentifier(s). Identification of the substance Trade name(s)	C.I. Solvent Yellow 16 Yellow 7525
	Registry number(s)	Former trade name(s): Solvent Yellow 7525 CAS number 4314-14-1 EC number 224-330-1
	Other means of identification Alternative name(s)	2,4-dihydro-5-methyl-2-phenyl-4-(phenylazo)-3H-pyrazol-3- one 3H-Pyrazol-3-one, 2,4-dihydro-5-methyl-2-phenyl-4-(2- phenyldiazenyl)- Disperse Yellow 16 C.I. 12700 (Colour Index Number)
	Item code(s)	D7525P, D7525
1.2	Relevant identified uses of the substance or mixture an Relevant identified uses Uses advised against	d uses advised against Dye Industrial use Professional use Do not use for products which come into contact with food- stuffs. Do not use for private purposes (household). Not for use with foodstuffs, pharmaceutical products or cosmetics. This product is for industrial and professional use only; it is not intended for household use.
1.3	Details of the supplier of the safety data sheet Robert Koch Industries, Inc. 4770 N. Harback Road Bennett. CO 80102 United States Telephone. +1 303.644.3763 Fax. +1 303.644.3045 Normal business hours: 0800 - 1700 MST/DST (UTC-7) e-mail: sales@kochcolor.com. Website. www.kochcolor.com. e-mail (competent person)	sales@kochcolor.com
1.4	Emergency telephone number Emergency information service	(Mark Koch) 1.800.535.5053 Infotrac (24 hours) USA and Canada Outside of USA or Canada, call +1 352.323.3500
SEC	TION 2: Hazards identification	

#### 2.1 Classification of the substance or mixture .... olficati 10 OSUA "U .... 2 6

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)						
Section	Hazard class	Category	Hazard class and category	Hazard statement		
B.cD	Combustible dust.	Comb. Dust	CD	OSHA003		

	Suppleme	Supplemental hazard information					
	Code	Supplemental hazard information					
	HNOC011	May cause long lasting harmful effects to aquatic life (GHS category 4: aquatic toxicity - chronic)					
	For full text of	abbreviations: see SECTION 16.					
2.2	Label elements Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)						
	Signal word						
	Pictograms	Not required					
	Hazard stat	ements					
	OSHA003	May form combustible dust concentrations in air.					
Precautionary statements							
P273 Avoid release to		Avoid release to the environment.					
	P501	Dispose of contents/container according to applicable federal, state, and local regulations.					
2.3	Other haza	rds					
	Dust explosi	on hazards.					
	Hazards no	t otherwise classified					
	May cause lo	ong lasting harmful effects to aquatic life (GHS category 4: aquatic toxicity - chronic).					
	Results of I	PBT and vPvB assessment					
	According to the results of its assessment, this substance is not a PBT or a vPvB.						
SEC	TION 3: Com	position/information on ingredients					
3.1	Substances						

3.1	Substances				
	Name of substance	C.I. Solvent Yellow 16			
	Identifiers				
	CAS No	4314-14-1			
	Molecular formula	C16H14N4O			
	Molar mass	278.3 <sup>g</sup> / <sub>mol</sub>			

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures General notes

If irritation or symptoms occur from any route of exposure, remove the affected individual from the area. Remove contaminated clothing and launder before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

If inhalation causes irritation, move to fresh air. If symptoms develop or person does not feel well, get medical advice/attention.

#### Following skin contact

Brush off loose particles from skin.

#### Following eye contact

Flush eyes with clean water for fifteen (15) minutes. Remove contact lenses if safe to do so. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by holding the eyelids open with fingers and rolling eyes in a circular motion. Get medical attention.

#### **Following ingestion**

Rinse mouth with water. Do NOT induce vomiting unless instructed to do so by medical personnel. Get medical advice/attention if symptoms occur or if the affected person does not feel well. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

Dermal contact may temporarily discolor skin due to dye characteristics.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None known. Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

In case of fire use water fog, foam, carbon dioxide (CO2), dry chemical.

#### Unsuitable extinguishing media

Avoid water jet, hose streams, or any method which will create dust clouds.

#### 5.2 Special hazards arising from the substance or mixture

Danger of dust explosion. Deposited combustible dust has considerable explosion potential. As with all organic dusts, fine particles suspended in air in critical proportions and in the presence of an ignition source may ignite and/or explode. Concentrated dust/air combinations may produce explosive conditions under certain parameters. Dust may be sensitive to ignition by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. As a precaution, implement standard safety measures for handling finely divided organic powders. Refer to Section 7.1.

#### Hazardous combustion products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2). Irritating or toxic substances may be emitted upon burning, combustion or decomposition.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons to safety. Follow emergency procedures such as the need to evacuate the area, notify authorities or to consult an expert. Keep unnecessary personnel away. Wear personal protective equipment to prevent injury. See section 8 of this SDS. Ensure adequate ventilation.

#### 6.2 Environmental precautions

Do not flush product down drains that discharge into public sewer systems. Do not pour onto the ground. Do not release into surface waters such as lakes, rivers and streams. Dispose of unusable product, wash water, and contaminated materials properly. See section 13 for disposal considerations.

#### 6.3 Methods and materials for containment and cleanup

Take up mechanically.

Cover floor drains. Prevent spilled material from leaving the area if safe to do so. Use care to avoid dust generation. vacuum or carefully sweep into a closed container for reuse or disposal. Only use an approved industrial vacuum cleaner. Suitable absorbent material(s) include:

Collect spilled material and place into suitable container(s) for reuse or disposal. Label containers appropriately.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling Recommendations

#### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Only vacuum cleaners containing no ignition sources may be used for combustible dusts. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

#### Specific notes/details

There is a risk of a dust explosion if powdered combustible dust is present in high-enough concentrations. Dust deposits can accumulate on surfaces in working area. Dust deposits have the potential to form an explosive dust-air mixture if disturbed. Carefully remove accumulated dust from surface areas on a regular basis. Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities Managing of associated risks Explosive atmospheres

Avoid generation of dust.Removal of dust deposits. Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

#### Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Country	Name of agent	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	Notation	Source
US	Particulates not otherwise classified (PNOC)	PEL	1,766	15	Partml, i, dust	29 CFR 1910.1000
US	Particulates not otherwise classified (PNOC)	PEL	529.5	5	Partml, r, dust	29 CFR 1910.1000

#### Notation

dust	As dust.
i	Inhalable fraction.
partml	Particles/ml.
r	Respirable fraction.
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-
	weighted average (unless otherwise specified).

#### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation. The use of approved dust collection equipment is recommended in high dust environments.

#### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

Wear chemical resistant protective gloves.

#### Other protection measures

Wear protective clothing (coveralls with hood) to reduce the possibility of stains to skin and clothing. Wash thoroughly after handling. An eyewash station and/or safety shower is recommended in the work area.

#### **Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment. If inhalation of dust, mist, or vapor is possible, wear an approved respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR).

#### **Environmental exposure controls**

Protect against release into the environment using preventative containment measures. Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties Appearance **Physical state** Solid Powder Colour Yellow Odour Slight Other safety parameters 6.7 (in aqueous solution: 10 g/I, 20 °C) pH (value) Melting point/freezing point 157 °C at 1 atm Initial boiling point and boiling range Not determined Flash point Not applicable **Evaporation rate** Not determined Flammability (solid, gas) This material is combustible, but will not ignite readily Explosion limits of dust clouds not determined Vapour pressure 0 Pa at 20 °C Density 1.289 g/cm3 at 25 °C Vapour density This information is not available **Bulk density** $0.6 - 0.7 \, \text{g/}_{\text{cm}^3}$ Solubility(ies) Soluble in most waxes, hydrocarbons and non-polar solvents Water solubility $8 \,^{\mu g}$ /<sub>l</sub> at 23 °C, very low solubility Partition coefficient - n-octanol/water (log KOW) 5.22 (pH value: ~7, 23 °C) Auto-ignition temperature Not determined **Decomposition temperature** 208 °C at 1 atm Viscosity Not relevant Solid matter **Explosive properties** Dust explosion hazards **Oxidising properties** None 9.2 Other information Solid content 100 % SECTION 10: Stability and reactivity 10.1 Reactivity Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". 10.2 Chemical stability See below "Conditions to avoid". 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid Avoid conditions that create dust.

#### Incompatible materials 10.5 Strong oxidisers.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### Version number GHS 3.0 Replaces version of 2020-03-27 GHS 2

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity				
Exposure route	Endpoint	Value	Species	Source
Oral	LD50	>15,000 <sup>mg</sup> / <sub>kg</sub>	Rat	ECHA Brief Profile - CAS 4314-14-1 7 Feb 2018, European Chemicals Agency

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

May cause long lasting harmful effects to aquatic life.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
EC50	>100 <sup>mg</sup> / <sub>l</sub>	Aquatic invertebrates	European Chemicals Agency, ht- tp://echa.europa.eu/	48 h	

#### Process of degradability

Process Degradation rate		Time
Oxygen depletion	4 %	28 d

#### 12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

#### n-octanol/water (log KOW)

5.22 (pH value: ~7, 23 °C)

#### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Not listed.

#### 12.7 Other adverse effects

Data are not available.

#### SECTION 13: Disposal considerations

#### 13.1 Waste Treatment Methods / Disposal Instructions

Avoid release to the environment. Do not contaminate ponds, waterways or ditches with product or container. Dispose of contents/container in accordance with applicable local, regional, national, and international regulations.

#### Sewage disposal-relevant information

Do not allow this material to enter floor drains, sewer drains or storm drains.

#### Waste treatment of containers/packagings

Containers containing product or product residue should be disposed of in the same manner as the product. Completely emptied and thoroughly cleaned containers can be recycled.

#### **SECTION 14: Transport information**

14.1 UN number

UN proper shipping name

- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards
- **14.6** Special precautions for user There is no additional information.

Not subject to transport regulations

Not assigned

Not assigned

Not assigned

Non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.8 Information for each of the UN Model Regulations

### <sup>14.8.3</sup> Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

#### 14.8.6 International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

#### 14.8.7 International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations (United States) **Toxic Substance Control Act (TSCA)** Substance is listed Superfund Amendment and Reauthorization Act (SARA TITLE III) The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304) Not listed. Specific Toxic Chemical Listings (EPCRA Section 313) Not listed. Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) Not listed. **Clean Air Act** Not listed. Cleaning Product Right to Know Act Substance List (CA-RTK) Not listed.

#### Toxic or Hazardous Substance List (MA-TURA)

Not listed.

#### Hazardous Substances List (MN-ERTK)

Name of substance	References	Remarks
C.I. Solvent Yellow 16	А	Dust

#### Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH. А

If the substance poses an airborne particulate exposure hazard, the substance is followed by the word "dust.". dust

#### Hazardous Substance List (NJ-RTK)

Not listed.

#### Hazardous Substance List (Chapter 323) (PA-RTK)

Not listed.

#### Hazardous Substance List (RI-RTK)

Not listed.

## California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1986

Not listed.

# Drug precursorsChemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

Not listed.

#### VOC content

Regulated Volatile Organic Compounds (VOC-EPA): 0 %. Regulated Volatile Organic Compounds (VOC-Cal ARB): 0 %.

#### Industry or sector specific available guidance(s) NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	Material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	1	Material that, under emergency conditions, can cause significant irritation
Instability	0	Material that is normally stable, even under fire conditions
Special hazard		

#### National inventories

Country	Inventory	Status
AU	AICS	Substance is listed
CA	DSL	Substance is listed
CN	IECSC	Substance is listed
EU	ECSI	Substance is listed
EU	REACH Reg.	Substance is listed
JP	CSCL-ENCS	Substance is listed
KR	KECI	Substance is listed
NZ	NZIOC	Substance is listed
PH	PICCS	Substance is listed
TW	TCSI	Substance is listed
US	TSCA	Substance is listed

Legend		
AICS	Australian Inventory of Chemical Substances.	
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS).		
DSL	Domestic Substances List (DSL).	
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP).	
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China.	
KECI	Korea Existing Chemicals Inventory.	
NZIoC	New Zealand Inventory of Chemicals.	
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS).	
REACH Reg. REACH registered substances.		
TCSI	Taiwan Chemical Substance Inventory.	
TSCA	Toxic Substance Control Act.	

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protect- ing human health and the environment
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a spe- cified time interval
NLP	No-Longer Polymer
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Workplace exposure limit
Ppm	Parts per million
TWA	Time-weighted average
VOC	Volatile Organic Compounds
VPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)		
	Code	Text
	OSHA003	May form combustible dust concentrations in air.

#### Disclaimer

This information is based upon the present state of our knowledge. As the conditions or methods of use are beyond our control, Robert Koch Industries, Inc. do not assume any responsibility and expressly disclaims any liability for any use of this product. Information contained herein is believed to be true and accurate and is made in good faith but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material, or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

This Safety Data Sheet (SDS) cannot cover all possible situations which the user may experience during use of this product. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to develop appropriate work practice guidelines and employee instructional programs for your operation.